Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED	
005023		070557.400	B. WING		02/04/2013		
			1001 W 10	T ADDRESS, CITY, STATE, ZIP CODE			
				APOLIS, IN 46202			
(X4) ID PREFIX TAG				ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIOI (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPF DEFICIENCY)	BE C	(X5) COMPLETE DATE
S 000	000 INITIAL COMMENTS			S 000			
	This visit is for a Statinvestigation.	e hospital complaint					
	Complaint: #IN00114964 -Unsubstantiated; lack of sufficient evidence. #IN00113178- Unsubstantiated; lack of sufficient evidence.						
	Survey Date: 02/4/13						
	Facility #: 005023						
	Surveyor: Linda Dubak, R.N. Public Health Nurse Surveyor						
	William N. Wishard Memorial Hospital is in compliance with 410 IAC 15-1.5-5, Medical staff, 410 IAC 15-1.5-6, Nursing service and 410 IAC 15-1.6-2, Emergency services, Indiana Hospital Licensure Rules.						
	QA: claughlin 02/11/	13					

Indiana State Department of Health

TITLE (X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE